JOURNAL OF

ELECTROCARDIOLOGY

An International Publication for the Study of the Electrical Activities of the Heart

VOLUME 6 • 1973

EDITOR

ZANG Z. ZAO, *San Diego, California*

CO-EDITORS

EUGENE LEPESCHKIN, *Burlington, Vermont*

LARS WERKÖ, *Göteborg*, Sweden

EDITORIAL CONSULTANTS

UNITED STATES

J. A. ABILDSKOV, Salt Lake City
EVANGELOS T. ANGELAKOS, Philadelphia
L. E. BAKER, Houston
EUGENE BRAUNWALD, San Diego
CHANDLER McC. BROOKS, Brooklyn
C. A. CACERES, Washington, D.C.
WILLIAM M. CHARDACK, Buffalo
ELIOT CORDAY, Beverly Hills
BENJAMIN COVINO, Worcester
PAUL F. CRANEFIELD, New York
DAVID K. DETWEILER, Philadelphia
E. GREY DIMOND, Kansas City
CHARLES FISCH, Indianapolis
H. DAVID FRIEDBERG, Milwaukee
SOLOMON GARB, Denver
L. A. GEDDES, Houston
MENARD M. GERTLER, New York
THOMAS C. GIBSON, Burlington
W. W. L. GLENN, New Haven
A. SIDNEY HARRIS, New Orleans
GEORGE R. HERRMANN, Galveston
LEO G. HORAN, Augusta
PAUL KEZDI, Kettering
LAWRENCE E. LAMB, San Antonio
RICHARD LASSER, New York
HAROLD D. LEVINE, Boston
BERNARD LOWN, Boston
ALDO A. LUISADA, Chicago
HENRY J. L. MARRIOTT, St. Petersburg
ARTHUR M. MASTER, New York
DAVID A. NATHAN, Miami Beach
CLIFFORD V. NELSON, Portland
ALFRED PICK, Chicago
HUBERT PIPBERGER, Washington, D.C.
MYRON PRINZMETAL, Los Angeles
E. W. REYNOLDS, Ann Arbor
STANLEY RUSH, Burlington
HENRY I. RUSSEK, Staten Island
ALLEN M. SCHER, Seattle
DAVID SCHERF, New York
RALPH C. SCOTT, Cincinnati
ERNST SIMONSON, Minneapolis
NICK SPERELAKIS, Charlottesville
R. A. STRATBUCKER, Omaha
R. WARE, San Antonio
RICHARD H. WASSERBURGER, Madison
THEODORE C. WEST, Davis
TRAVIS W. WINSOR, Los Angeles
PAUL N. YU, Rochester, N.Y.
PAUL M. ZOLL, Boston

OTHER COUNTRIES

JESÚS ALAÑIS, Mexico City
R. S. AMIROV, Moscow, USSR
MARIANO ALIMURUNG, Manila, Philippines
CHRIST ARAVANIS, Athens, Greece
F. W. BESWICK, Salisbury, England
MICHEL CHABOT, Montreal, Canada
CARLOS CHAGAS, Rio de Janeiro, Brazil
E. CORABOEUF, Orsay, France
GORDON E. DOWER, Vancouver, Canada
PIERRE W. DUCHOSAL, Geneva, Switzerland
DIRK DURRER, Amsterdam, Holland
SVEN EFFERT, Aachen, Germany
YVES-MICHEL GARGOUIL, Poitiers, France
KENICHE HARUMI, Tokyo, Japan
MAX HOLZMANN, Zürich, Switzerland
PAUL G. HUGENHOLTZ, Rotterdam, Holland
EICHI KIMURA, Tokyo, Japan
NOBORU KIMURA, Kurume, Japan
A. LARCAN, Nancy, France
VILÉM LAUFBERGER, Prague, Czechoslovakia
YEOU-BING LI, Taiwan
GEORGE W. MANNING, London, Canada
FERNANDO DE PÁDUA, Lisbon, Portugal
P. PUECH, Montpellier, France
PENTTI M. RAUTAHARJU, Halifax, Canada
P. RIJLANT, Brussels, Belgium
MARIA I. RODRIGUEZ, San Salvador
M. ROSSELLI, Firenze, Italy
TOYOMI SANO, Tokyo, Japan
HANS SCHAEFER, Heidelberg, Germany
E. SCHUBERT, Leipzig, Germany
K. SPANG, Stuttgart, Germany
DEMETRIO SODI-PALLARES, Mexico City
BRUNO TACCARDI, Milan, Italy
RUSTOM JAL VAKIL, Bombay, India
ZOE WALSH, Stockholm, Sweden

Published by RESEARCH IN ELECTROCARDIOLOGY, INC. (non-profit)
San Diego, California 92109, U.S.A.

COPYRIGHT © *1973* BY RESEARCH IN ELECTROCARDIOLOGY, INC. ALL RIGHTS RESERVED. NO PART OF *The Journal of Electrocardiology* MAY BE REPRODUCED IN ANY FORM WITHOUT THE PUBLISHER'S WRITTEN PERMISSION.

JOURNAL OF ELECTROCARDIOLOGY

Table of Contents

Vol. 6, No. 1, 1973

Editorial:

On Hysteresis in Pacing.
By *H. David Friedberg and S. Serge Barold* 1

Original Communications:

Electrocardiogram in Corrected Transposition of the Great Arteries with and without Associated Cardiac Anomalies.
By *K. Okamura, A. Takao, M. Hashimoto, S. Hosoda, and K. Mimori* 3

Clinical Application of the Simplified SVEC-III System.
By *E. Simonson, M. Kohno, Y. Watanabe, and O. Smitt* 11

Depolarization Phase of Spatial Velocity Electrocardiogram in Normal and Ventricular Overloading.
By *Y. Sakamoto, S. Kokusho, T. Hiroki, and T. Sano* 19

Electrical Diagnosis of Myocardial Infarction in the Paced Dog Heart.
By *E. L. Rothfeld, I. R. Zucker, and U. Ahuja* 27

Optimization of Frontal-Plane Electrocardiographic Lead Data in the 30° Hexaxial System.
By *T. Y. Lee* 31

Recording of His and Left Bundle Potentials during Left Coronary Anteriography in the Dog.
By *F. K. Nakhjavan* 45

Annotation:

A Nomogram for the Mean QRS Axis in the Frontal Plane.
By *S. Yang, V. Marahnoa, and H. Goldberg* 51

Case Studies:

An Analysis of Atrioventricular Synchronization in Complete AV Block.
By *H. Hoff and J. Christ* 53

Spontaneous Ventricular Parasystole Initiating Ventricular Tachycardia.
By *L. B. Jacobson* 63

Bifascicular Block Induced by Hyperkalemia.
By *M. Punja, R. Schneebaum, and J. Cohen* 71

Varying Electrocardiographic Patterns in a Case of Complete Transposition of the Great Vessels.
By *D. P. Myburgh* 77

Periodic Variation in AV Conduction Time: The 'Supernormal' Phase of AV Conduction.
By *L. Schamroth and M. Perlman* 81

A Case of Atrial Dissociation.
By *V. Kalbian* 85

JOURNAL OF ELECTROCARDIOLOGY

Table of Contents

Vol. 6, No. 2, 1973

Original Communications:

Polarcardiographic Responses to Maximal Exercise and to Changes in Posture in Healthy Middle-Aged Men.
By *R. A. Bruce, Y. Li, G. E. Dower, and K. Nilson* 91

Diagnosis of Myocardial Perforation by Intracardiac Electrograms Recorded from the Indwelling Catheter.
By *J. Van Durme, G. Heyndrickx, J. Snoeck, P. Vermeire, and R. Pannier* 97

Waveform Vector Analysis of Orthogonal Electrocardiograms: Quantification and Data Reduction.
By *P. M. Rautaharju, J. Warren, and H. Wolf* 103

Observations on Atrio-Sinus Conduction. Single, Repetitive and Complete Atrio-Sinus Block. Atrio-Sinus Concealed and Wenckebach Conduction.
By *N. El-Sherif* 113

Phase Progression of QRS Complexes in ECGs versus Inscribing Directions of QRS Loops in VCGs.
By T. Y. Lee 125

Cardiac Output and the Varying R-R Interval of Atrial Fibrillation.
By *W. H. Herbert* 131

Automatic ECG and Arrhythmia Interpreter — An Almost Analog Device.
By *E. Kimura, K. Obayashi, T. Akazome, H. Hayakawa, G. Kasai, Z. Abe, T. Suzuki, and K. Kato* 137

Case Studies:

Coexisting Paroxysmal Ventricular Tachycardia and Idioventricular Rhythm in Acute Myocardial Infarction.
By *E. Rothfeld, I. Zucker, W. Leff, and M. Ritota* 149

Reverse Rate Related Bundle Branch Block.
By *M. Gambetta and R. W. Childers* 153

Three Atrioventricular Pathways: Reciprocating Tachycardia with Alternation of Conduction Time.
By *H. D. Friedberg and L. Schamroth* 159

Time Relationship Between Two Pacemakers in Nodal Parasystole.
By *D. A. Sideris and S. D. Moulopoulos* 165

Ventricular Parasystolic Rhythm Masquerading as Bilateral Bundle Branch Block.
By *N. El-Sherif, E. Mascarenhas, S. Zaron, and P. Samet* 171

Letters to the Editor:

An ECG Compression Code.
By *D. Stewart, G. E. Dower, and O. Suranyi* 175

Mechanical Model for the Coupled Rotations of Human Hearts.
By *T. Y. Lee* 177

Addendum 179

JOURNAL OF ELECTROCARDIOLOGY
Table of Contents
Vol. 6, No. 3, 1973

Original Communications:

Intraventricular Conduction Time in Patients with Bundle Branch Block.
By *P. K. Gupta, L. D. Chadda, E. Lichstein, H. Liu,* and *M. Sayeed* 181

Recording of His Bundle Electrogram From the Arm.
By *N. Ali, R. Wickramasekaran, A. Barbedo, H. Fahdul,* and *Z. Vera* 193

Examination of Multiple Dipole Inverse Cardiac Generator, Based on Accurately Determined Model Data.
By *R. E. Ideker, D. A. Brody, J. W. Cox* and *F. W. Keller* 197

The Electrocardiogram of a Dromedary Camel.
By *L. A. Geddes, W. A. Tacker, J. Rosborough, A. G. Moore,* and *P. Cabler* 211

Electrocardiographic Correlation of Bundle Branch Block and the U Wave.
By *Y. Watanabe* and *I. M. de Azevedo* 215

Optimal Synthesis of the Sixth Frontal-Plane Lead from Data of the Other Five Leads.
By *T. Y. Lee* 221

Electrocardiographic Pattern During Sleep in Healthy Subjects and in Patients with Ischemic Heart Disease.
By *D. Tzivoni* and *S. Stern* 225

Correlation of Single Lead Telemetric Treadmill Exercise Testing with Coronary Angiography.
By *J. A. Freeman, M. Corbin, M. Dunn* and *W. Gray* 231

Estimation of Lung Function from the Electrocardiogram in Chronic Obstructive Pulmonary Disease.
By *H. M. Silver, J. B. Calatayud,* and *T. Ireland* 235

The Rate of Regression of Ventricular Hypertrophy in Vectorcardiogram and Electrocardiogram After Surgery on Congenital Heart Disease.
By *A. Shams, J. D. Keith, B. Edibam, H. Fukuda, V. Rose,* and *R. S. Fowler* 243

Annotation:

A Simplified Method of Calculating the Maximum Spatial Vector.
By *D. R. Pieroni* 249

Case Studies:

Reciprocating Tachycardia of Atrial Origin Initiated by Concealed A-V Conduction of Ventricular Escape Beats.
By *J. Roelandt,* and *L. Schamroth* 253

Inferior and Anteroseptal Myocardial Infarction Concealed by Transient Left Anterior Hemiblock.
By *P. Altieri* and *S. Schaal* 257

The Highest Value for the QRS Voltage in Left Ventricular Hypertrophy.
By *P. Ioannidis, C. Aravanis, C. Kourouklis,* and *A. Corcondilas* 259

Syncope During Carotid Sinus Massage. Observations on Conduction Disturbances by Atrial Pacing, His-Bundle and Monophasic Action Potential (MAP) Recordings.
By *L. Woie, L. Brorson,* and *S. B. Olsson* 263

Phasic Pacemaker Failure.
By *G. Sanz, G. R. Van Loon,* and *L. Schwartz* 267

Letter to the Editor:

An RS Limit Template for Rapid Assessment of Hypertrophy.
By *T. Y. Lee* 271

JOURNAL OF ELECTROCARDIOLOGY

Table of Contents
Vol. 6, No. 4, 1973
Index Issue

Editorials:

Standardization in Vectorcardiography.
By *E. Lepeschkin* 273

Original Communications:

Influence of Age and Ischemic Heart Disease on Spatial ST-T Magnitudes at Rest and After Maximal Exercise.
By *M. Niederberger, R. A. Bruce, G. E. Dower,* and *V. Hofer* 279

Wedensky Facilitation in Canine Right Bundle Branch.
By *J. R. Wennemark, J. P. Bandura,* and *V. J. Ruesta* 285

Pitfalls in the Prediction of Coronary Artery Disease From the Electrocardiogram or Vectorcardiogram.
By *J. Hilsenrath, R. I. Hamby,* and *I. Hoffman* 291

Sino-Atrial Disease. A Report of 13 Cases.
By *H. E. Kulbertus, F. de Leval-Rutten,* and *J. C. Demoulin* 303

Transthoracic Resistance to Defibrillator Discharge.
By *P. N. Connell, G. A. Ewy, C. F. Dahl,* and *M. D. Ewy* 313

The Electrocardiogram and Vectorcardiogram in the Diagnosis of the Old Inferior Myocardial Infarction.
By *P. Toutouzas, D. Avgoustakis, G. Koroxenides,* and *V. Athanassiou* 319

Some Parameters Associated with the Normal Atrial Electrocardiogram.
By *R. A. Larsen, H. W. Smith,* and *D. A. Brody* 325

Repeat Variability of Axial Lead Electrocardiograms.
By *K. Rasmussen* 335

Annotations:

An Inexpensive Test Apparatus for the Determination of the Validity of the Electrocardiograph Millivolt Standard.
By *W. P. Nelson,* and *G. O. Luttkus* 341

Case Studies:

Termination of Recurrent Supraventricular Tachycardia by Right Ventricular Endocardial Pacing But Not by Left Ventricular Epicardial Pacing.
By *A. Arthur* and *L. L. Basta* 345

Atrial Flutter, Supraventricular Tachycardia, Junctional Rhythm and Complete Right Bundle Branch Block in a Patient with the Wolff-Parkinson-White Syndrome (Type B).
By *B. L. Chia* 353

Complete AV Block Simulating 2:1 Incomplete AV Block: A Possible Case of 2:1 AV Synchronization.
By *K. Izumi, S. Ohta, K. Yoshikawa, S. Ohtomi, T. Sato,* and *N. Takano* 359

Electromechanical Suppression of a Demand Pacemaker Associated with Electrode Perforation.
By *M. Rubenfire, H. Timmis, P. Freed, J. L. Evangelista, H. Ginsberg,* and *W. Wajszczuk* 367

Atrial Dissociation—Fact or Artifact?
By *W. H. Clark* and *J. E. Douglas* 373

Letters to the Editor:
Waveform Vector Analysis of Orthogonal Electrocardiogram.
By *G. E. Dower* 379
Reply
By *P. M. Rautaharju* 379
The Rate of Regression of Ventricular Hypertrophy in Vectorcardiogram and Electrocardiogram After Surgery on Congenital Heart Disease.
By *R. S. Fowler* 380
Addendum:
A Nomogram for the Mean QRS Axis in the Frontal Plane (Fig. 1).
By *S. S. Yang, V. Maranhao,* and *H. Goldberg* 381
Index 383

ECG Display Unit (EDU)



Gain Selector

Calibration buttons to indicate over-all system gain

Centering

For a 12-lead ECG write-out of the Frank XYZ signals

Designed for use with the Totemite Bedside Recorder, the EDU makes it possible to record a 12-lead ECG directly from the patient without moving the electrodes.

Alternatively, the 12-leads may be derived later from the XYZ signals recorder on magnetic tape.

FUNCTIONAL INTEGRATION WITH THE BEDSIDE RECORDER



Simulations of leads I, II, III, aVR, aVL, aVF, V1, V2, V3, V4, V5, and V6 are derived from the Frank signals by synthesizing circuits.

DELIVERY:
approximately 3 months.

TOTEMITE, INC., P.O. Box 875, Bow, Wash. 98232

Author Index Volume 6

Abe, Z., 137
Ahuja, U., 27
Akazome, T., 137
Ali, N., 193
Altieri, P., 257
Aravanis, C., 259
Arthur, A., 345
Athanassiou, V., 319
Avgoustakis, D., 319
Bandura, J. P., 285
Barbedo, A., 193
Barold, S. S., 1
Basta, L., 345
Brody, D. A., 197, 325
Brorson, L., 263
Bruce, R. A., 91, 279
Cabler, P., 211
Calatayud, J. B., 235
Chadda, L. D., 181
Chia, B. L., 353
Childers, W., 153
Christ, J., 53
Clark, W. H., 373
Cohen, J., 71
Connell, P. N., 313
Corbin, M., 231
Corcondilas, A., 259
Cox, J. W., 197
Dahl, C. F., 313
de Azevedo, I. M., 215
de Leval-Rutten, F., 303
Demoulin, J. C., 303
Douglas, J. E., 373
Dower, G. E., 91, 175, 279, 379
Dunn, M., 231
Edibam, B., 243
El-Sherif, N., 113, 171
Evangelista, J. L., 367
Ewy, G. A., 313
Ewy, M. D., 313
Fahdul, H., 193
Fowler, R. S., 243, 380
Freed, P., 367
Freeman, J. A., 231
Friedberg, H. D., 1, 159
Fukuda, H., 243
Gambetta, M., 153
Geddes, L. A., 211
Ginsberg, H., 367
Goldberg, H., 51
Gray, W., 231
Gupta, P. K., 181
Hamby, R. I., 291
Hashimoto, M., 3
Hayakawa, H., 173
Herbert, W. H., 131
Heyndrickx, G., 97
Hilsenrath, J., 291
Hiroki, T., 19
Hofer, V., 279
Hoff, H., 53
Hoffman, I., 291
Hosoda, S., 3
Ideker, R. E., 197
Ioannidis, P., 259
Ireland, T., 235
Izumi, K., 359
Jacobson, L. B., 63
Kalbian, V., 85
Kasai, G., 137
Kato, K., 137
Keith, J. D., 243
Keller, F. W., 197
Kimura, E., 137
Kohno, M., 11
Kokusho, S., 19
Koroxenides, G., 319
Kourouklis, C., 259
Kulbertus, H. E., 303
Larsen, R. A., 325
Lee, T. Y., 31, 125, 177, 221, 271
Leff, W., 149
Lepeschkin, E., 273
Li, Y., 91
Lichstein, E., 181
Liu, H., 181
Luttkus, G. O., 341
Marahnoa, V., 51
Mascarenhas, E., 171
Mimori, K., 3
Moore, A. G., 211
Moulopoulos, S. D., 165
Myburgh, D. P., 77
Nakhjavan, F. K., 45
Nelson, W. P., 341
Niederberger, M., 279
Nilson, K., 91
Obayashi, K., 137
Ohta, S., 359
Ohtomi, S., 359
Okamura, K., 3
Olsson, S. D., 263
Pannier, R., 97
Perlman, M., 81
Pieroni, D. R., 249
Punja, M., 71
Rasmussen, K., 335
Rautaharju, P. M., 103, 379
Ritota, M., 149
Roelandt, J., 253
Rosborough, J., 211
Rose, V., 243
Rothfeld, E. L., 27, 149
Rubenfire, M., 367
Ruesta, V. J., 285
Sakamoto, Y., 19
Samet, P., 171
Sano, T., 19
Sanz, G., 267
Sato, T., 359
Sayeed, M., 181
Schaal, S., 257
Schamroth, L., 81, 159, 253
Schneebaum, R., 71
Schwartz, L., 267
Shams, A., 243
Sideris, D. A., 165
Silver, H. M., 235
Simonson, E., 11
Smith, H. W., 325
Smitt, O., 11
Snoeck, J., 97
Stern, S., 225
Stewart, D., 175
Suranyi, O., 175
Suzuki, T., 137
Tacker, W. A., 211
Takano, N., 359
Takao, A., 3
Timmis, H., 367
Toutouzas, P., 319
Tzivoni, D., 225
Van Durme, J., 97
Van Loon, G. R., 267
Vera, Z., 193
Vermeire, P., 97
Wajszczuk, W. J., 367
Warren, J., 103
Watanabe, Y., 11, 215
Wennemark, J. R., 285
Wickramasekaran, R., 193
Woie, L., 263
Wolf, H., 103, 379
Yang, S., 51
Yoshikawa, K., 359
Zaron, S., 171
Zucker, I. R., 27, 149

Subject Index Volume 6

A

Accrochage
complete AV block simulating 2:1 incomplete AV block, **4**:359-366

Acetylcholine
syncope during carotid sinus massage, **3**:263-266

Age
influence of age and ischemic heart disease on spatial ST-T magnitudes at rest and after maximal exercise, **4**:279-284

Alcohol, effects of
atrial dissociation—fact or artifact, **4**:373-377

Angiography
correlation of single lead telemetric treadmill exercise testing with coronary angiography, **3**:231-234

Animal studies
camels
ECG of a dromedary camel, **3**:211-214
dogs
diagnosis of myocardial perforation by intracardiac electrograms recorded from the indwelling catheter, **2**:97-102
electrical diagnosis of myocardial infarction in paced dog heart, **1**:27-30
recording of His and left bundle potentials during left coronary arteriography in, **1**:45-49
transthoracic impedance to defibrillator discharge, **4**:313-317
Wedensky facilitation in canine right bundle branch, **4**:285-290

Annotations
inexpensive test apparatus for the determination of the accuracy of the ECG millivolt standard, **4**:341-343
nomogram for the mean QRS in the frontal plane, **1**:51-52; **4**:381
simplified method of calculating the maximum spatial vector, **3**:249-252

Anomalies, cardiac
ECG in corrected transposition of the Great Arteries with and without associated cardiac anomalies, **1**:3-10

Arrhythmias
atrial flutter, supraventricular tachycardia, junctional rhythm and complete right bundle branch block in a patient with WPW syndrome (type B), **4**:353-357
automatic ECG and arrhythmia interpreter—an almost analog device, **2**:137-148
coexisting paroxysmal ventricular tachycardia and idioventricular rhythm in acute myocardial infarction, **2**:149-152
three atrioventricular pathways: reciprocating tachycardia with alternation of conduction times, **2**:159-163

Arteries
ECG in corrected transposition of the Great Arteries with and without associated cardiac anomalies, **1**:3-10

Arteriography
pitfalls in the prediction of coronary artery disease from the ECG or VCG, **4**:291-302
recording of His and left bundle potentials during left coronary arteriography in dog, **1**:45-49

Atrio-sinus conduction
observations on, **2**:113-124

Atrium
depolarization
phasic pacemaker failure, **3**:267-269
dissociation
a case of, **1**:85-90
fact or artifact, **4**:373-377
ectopic focus
a case of atrial dissociation, **1**:85-90
fibrillation
cardiac output and the varying R-R interval of, **2**:131-135

Atropine
time relationship between two pacemakers in nodal parasystole, **2**:165-169

Atrio-ventricular
conduction
periodic variation in AV conduction time: the 'supernormal' phase of AV conduction, **1**:81-83
reciprocating tachycardia of atrial origin initiated by concealed AV conduction of ventricular escape beats, **3**:253-256
ventricular parasystolic rhythm masquerading as bilateral bundle branch block, **2**:171-174
pathways
three atrioventricular pathways: reciprocating tachycardia with alternation of conduction times, **2**:159-163
synchronization
complete AV block, simulating 2:1 incomplete AV block, **4**:359-366

B

Basilic veins
recording of His bundle electrogram from the arm, **3**:193-195

Block
atrio-sinus
observations on atrio-sinus conduction, **2**:113-124
atrio-ventricular, complete
an analysis of atrioventricular synchronization in, **1**:53-61
simulating 2:1 incomplete AV block, **4**:359-366
bifascicular
induced by hyperkalemia, **1**:71-75

bundle branch
atrial flutter, supraventricular rhythm and complete right bundle branch block in a patient with WPW syndrome (type B), **4**:353-357
bifascicular block induced by hyperkalemia, **1**:71-76
ECG correlation of bundle branch block and the U wave, **3**:215-220
intraventricular conduction time in patients with, **3**:181-192
reverse rate related, **2**:153-157
ventricular parasystolic rhythm masquerading as bilateral BBB, **2**:171-174
Wedensky facilitation in canine right bundle branch, **4**:285-290
inter-atrial
See atrial dissociation

Bradycardia
ECG pattern during sleep in healthy subjects and in patients with ischemic heart disease, **3**:225-230
reverse rate related bundle branch block, **2**:153-157

Bundle Branch
recording of His and left bundle potentials during left coronary arteriography in dog, **1**:45-49
Wedensky facilitation in canine right bundle branch, **4**:285-290

C

Cardiac generator, Coriolis
examination of a multiple dipole inverse cardiac generator, based on accurately determined model data, **3**:197-209

Cardiac perforation
diagnosis of myocardial perforation by intracardiac electrograms recorded from the indwelling catheter, **2**:97-102

Cardioactive drugs
coexisting paroxysmal ventricular tachycardia and idioventricular rhythm in acute myocardial infarction, **2**:149-152
time relationship between 2 pacemakers in nodal parasystole, **2**:165-169

Carotid sinus massage
spontaneous ventricular parasystole initiating ventricular tachycardia, **1**:63-70
syncope during, **3**:263-266

Case studies
an analysis of atrioventricular synchronization in complete AV block, **1**:53-61
atrial dissociation—fact or artifact, **4**:373-377
atrial flutter, supraventricular tachycardia, junctional rhythm and complete right bundle branch block in a patient with WPW syndrome, **4**:353-357
bifascicular block induced by hyperkalemia, **1**:71-75
coexisting paroxysmal ventricular tachycardia and idioventricular rhythm in acute myocardial infarction, **2**:149-152
complete AV block simulating 2:1 incomplete AV block, **4**:359-366
electromechanical suppression of demand pacemaker associated with electrode perforation, **4**:367-371
highest value for the QRS voltage in left ventricular hypertrophy, **3**:259-262
inferior and anteroseptal myocardial infarction concealed by transient left anterior hemiblock, **3**:257-258
of atrial dissociation, **1**:85-90
periodic variation in AV conduction time: the 'supernormal' phase of AV conduction, **1**:81-84
phasic pacemaker failure, **3**:267-269
reciprocating tachycardia of atrial origin initiated by concealed AV conduction of ventricular escape beats, **3**:253-256
reverse rate related bundle branch block, **2**:153-157
spontaneous ventricular parasystole initiating ventricular tachycardia, **1**:63-70
syncope during carotid sinus massage, **3**:263-266
termination of recurrent supraventricular tachycardia by right ventricular endocardial pacing but not by left ventricular epicardial pacing, **4**:345-351
three atrioventricular pathways: reciprocating tachycardia with alternation of conduction times, **2**:159-163
time relationship between 2 pacemakers in nodal parasystole, **2**:165-169
varying ECG patterns in case of complete transposition of the Great Vessels, **1**:77-80
ventricular parasystolic rhythm masquerading as bilateral bundle branch block, **2**:171-174

Catheter
diagnosis of myocardial perforation by intracardiac electrograms recorded from the indwelling catheter, **2**:97-102

Chebyshev polynomials
waveform vector analysis of orthogonal ECG: quantification and data reduction, **2**:103-111

Children
rate of regression of ventricular hypertrophy in VCG and ECG after surgery on congenital heart disease, **3**:243-247
reciprocating tachycardia of atrial origin initiated by concealed AV conduction of ventricular escape beats, **3**:253-256
varying ECG patterns in case of complete transposition of Great Vessels, **1**:77-80

Chronic obstructive pulmonary disease
estimation of lung function from the ECG in, **3**:235-242

Cineangiography
pitfalls in the prediction of coronary artery disease from the ECG or VCG, **4**:291-302

Compression code
an ECG compression code (letter), **2**:175-176

Computations
nomogram for the mean QRS axis in the frontal

plane, **1**:51-52; **4**:381
optimal synthesis of the sixth frontal-plane lead from the data of the other five leads, **3**:221-224
optimization of frontal-plane ECG lead data in 30° hexaxial system **1**:31-44
simplified method of calculating the maximum spatial vector, **3**:249-252
waveform vector analysis of orthogonal ECG: quantification and data reduction, **2**:103-111

Computers
automatic ECG and arrhythmia interpreter—an almost analog device, **2**:137-148
an ECG compression code (letter), **2**:175-176
waveform vector analysis of orthogonal ECG: quantification and data reduction, **2**:103-111

Conduction disturbance
reverse rate related bundle branch block, **2**:153-157

Congenital heart defects
rate of regression of ventricular hypertrophy in VCG and ECG after surgery on congenital heart disease, **3**:243-247

Coronary arteriography
See arteriography, coronary

D

Defibrillator
transthoracic impedance to defibrillator discharge, **4**:313-317

Delta waves
three atrioventricular pathways: reciprocating tachycardia with alternation of conduction times, **2**:159-163

Depolarization phase
of the spatial velocity ECG in normal and ventricular overloading, **1**:19-26

Detection procedures
correlation of single lead telemetric treadmill exercise testing with coronary angiography, **3**:231-234

Diagnosis
automatic ECG and arrhythmia interpreter—an almost analog device, **2**:137-148
clinical application of simplified SVEC-III system, **1**:11-18
electrical diagnosis of myocardial infarction in the paced dog heart, **1**:27-30
ECG and VCG in the diagnosis of old inferior myocardial infarction, **4**:319-323
pitfalls in the prediction of coronary artery disease from the ECG or VCG, **4**:291-302

Dipoles
examination of multiple dipole inverse cardiac generator, based on accurately determined model data, **3**:197-209

E

Ectopic focus
See Atrial ectopic focus

Editorial
on hysteresis in pacing, **1**:1-2
standardization in VCG, **4**:273-278

E-E interval
time relationship between 2 pacemakers in nodal parasystole, **2**:165-169

Electrocardiogram (ECG)
and VCG in the diagnosis of the old inferior myocardial infarction, **4**:319-323
atrial
some parameters associated with normal atrial ECG, **4**:325-333
automatic ECG and arrhythmia interpreter—an almost analog device, **2**:137-148
depolarization phase of the spatial velocity ECG in normal and ventricular overloading, **1**:19-26
estimation of lung function from the ECG in chronic obstructive pulmonary disease, **3**:235-242
in corrected transposition of the Great Arteries with and without associated cardiac anomalies, **1**:3-10
of a dromedary camel, **3**:211-214
pattern during sleep in healthy subjects and in patients with ischemic heart disease, **3**:225-230
pitfalls in the prediction of coronary artery disease from ECG or VCG, **4**:291-302
varying ECG patterns in a case of complete transposition of the Great Vessels, **1**:77-80

Electrodes
clinical application of the simplified SVEC-III system, **1**:11-18
electromechanical suppression of a demand pacemaker associated with electrode perforation, **4**:367-371
transthoracic impedance to defibrillator discharge, **4**:313-317

Electrograms
diagnosis of myocardial perforation by intracardiac electrograms recorded from the indwelling catheter, **2**:97-102

Electrotonus
Wedensky facilitation in canine right bundle branch, **4**:285-290

Escape beats
reciprocating tachycardia of atrial origin initiated by concealed AV conduction of ventricular escape beats, **3**:253-256

Exercise
correlation of single lead telemetric treadmill exercise testing with coronary angiography, **3**:231-234
influence of age and ischemic heart disease on spatial ST-T magnitudes at rest and after maximal exercise, **4**:279-284
polarcardiographic responses to maximal exercise and to changes in posture in healthy middle-aged men, **2**:91-96

H

Heart model
mechanical model for the coupled rotations of human hearts (letter), **2**:177

Hemiblock
inferior and anteroseptal myocardial infarction concealed by transient left anterior hemiblock, **3**:257-258

His bundle
potentials
recording of His and left bundle potentials during left coronary arteriography in dog, **1**:45-49
recording
intraventricular conduction time in patients with bundle branch block, **3**:181-192
of His bundle electrogram from the arm, **3**:193-195

Holter recording system
ECG patterns during sleep in healthy subjects and in patients with ischemic heart disease, **3**:225-230

H-Q interval
intraventricular conduction time in patients with bundle branch block, **3**:181-192

Hyperkalemia
bifascicular block induced by hyperkalemia, **1**:71-75

Hypertrophy
highest value for the QRS voltage in left ventricular hypertrophy, **1**:259-262
rate of regression of ventricular hypertrophy in VCG and ECG after surgery on congenital heart disease, **3**:243-247
RS limit template for rapid assessment of, **3**:271-272

Hysteresis
in pacing, **1**:1-2

I

Idioventricular rhythm
coexisting paroxysmal ventricular tachycardia and idioventricular rhythm in acute myocardial infarction, **2**:149-152

Impedance mismatch
three atrioventricular pathways: reciprocating tachycardia with alternation of conduction times, **2**:159-163

Instrumentation
inexpensive test apparatus for the determination of the accuracy of ECG millivolt standard, **4**:341-343

Inter-atrial block
See Atrial dissociation

Interval
automatic
on hysteresis in pacing, **1**:1-2
escape
on hysteresis in pacing, **1**:1-2

Intra-atrial ligation
electrical diagnosis of myocardial infarction in paced dog heart, **1**:27-30

Intraauricular dissociation
See Atrial dissociation

Intraventricular conduction time
in patients with bundle branch block, **3**:181-192

Ischemia
ECG patterns during sleep in healthy subjects and in patients with ischemic heart disease, **3**:225-230
influence of age and ischemic heart disease on spatial ST-T magnitudes at rest and after maximal exercise, **4**:279-284

L

Leads
optimal synthesis of the sixth frontal-plane lead from data of the other five leads, **3**:221-224

Lead axis
phase progression of the QRS complexes in ECG versus the inscribing directions of the QRS loops in VCG, **2**:125-129

Lead systems
axial
repeat variability of axial lead ECG, **4**:335-340
some parameters associated with the normal atrial ECG, **4**:325-333
clinical application of the simplified SVEC-III system, **1**:11-18
optimization of frontal-plane ECG lead data in the 30° hexaxial system, **1**:31-44
standardization in VCG, **4**:273-278

Letters to the Editor
ECG compression code, **2**:175-176
mechanical model for the coupled rotations of human hearts, **2**:177
rate of regression of ventricular hypertrophy in VCG and ECG after surgery on congenital heart disease, **4**:380
RS limit template for rapid assessment of hypertrophy, **3**:271-272
waveform vector analysis of orthogonal ECG, **4**:379-380

Lung function
estimation of lung function from the ECG in chronic obstructive pulmonary disease, **3**:235-242

M

Mathematical analysis
optimal synthesis of the sixth frontal-plane lead from the other 5 leads, **3**:221-224
optimization of frontal-plane ECG lead data in the 30° hexaxial system, **1**:31-44

Maximum spatial vector
clinical application of the simplified SVEC-III system, **1**:11-18
highest value for the QRS voltage in left ventricular hypertrophy, **3**:259-262
ventricular hypertrophy, **3**:259-262
simplified method of calculating, **3**:249-252

Methylglucomine diatrizoate, effects of
recording of His and left bundle potentials during left coronary arteriography in dog, **1**:45-49

Models
examination of a multiple dipole inverse cardiac generator, based on accurately determined model data, **3**:197-209
mechanical model for the coupled rotations of human hearts (letter), **2**:177

Monophasic action potential (MAP)
syncope during carotid sinus massage, **3**:263-266

Myocardial infarction
coexisting paroxysmal ventricular tachycardia and idioventricular rhythm in acute, **2**:149-152
electrical diagnosis of myocardial infarction in the paced dog heart, **1**:27-30
ECG and VCG in the diagnosis of the old inferior myocardial infarction, **4**:319-323
inferior and anteroseptal myocardial infarction concealed by transient left anterior hemiblock, **3**:257-258
pitfalls in the prediction of coronary artery disease from ECG or VCG, **4**:291-302

Nodal parasystole
See Parasystole, nodal

Nomogram
for the mean QRS axis in the frontal plane, **1**:51-52; **4**:381

Notation
standardization in VCG, **4**:273-278

P

Pacing
diagnosis of myocardial perforation by intracardiac electrograms recorded from the indwelling catheter, **2**:97-102
electrical diagnosis of myocardial infarction in the paced dog heart, **1**:27-30
electromechanical suppression of demand pacemaker associated with electrode perforation, **4**:367-371
on hysteresis in pacing, **1**:1-2
phasic pacemaker failure, **3**:267-269
sino-atrial disease: a report on 13 cases, **4**:303-312
termination of recurrent supraventricular tachycardia by right ventricular endocardial pacing but not by ventricular epicardial pacing, **4**:345-351
time relationship between 2 pacemakers in nodal parasystole, **2**:165-169

Parasympathetic tone
electrocardiographic patterns during sleep in healthy subjects and in patients with ischemic heart disease, **3**:225-230

Parasystole
nodal
time relationship between 2 pacemakers in, **2**:165-169
ventricular
masquerading as bilateral bundle branch block, **2**:171-174
spontaneous ventricular parasystole initiating ventricular tachycardia, **1**:63-70

Polarcardiography
influence of age and ischemic heart disease on spatial ST-T magnitudes at rest and after maximal exercise, **4**:279-284
responses to maximal exercise and to changes in posture in healthy middle-aged men, **2**:91-96
waveform vector analysis of orthogonal ECG (letter), **4**:379-380

Posture
polarcardiographic responses to maximal exercise and to changes in posture in healthy middle-aged men, **2**:91-96

P-R interval
an analysis of atrioventricular synchronization in complete AV block, **1**:53-61
periodic variation in AV conduction time: the 'supernormal' phase of AV conduction, **1**:81-84
polarcardiographic responses to maximal exercise and to changes in posture in healthy middle-aged men, **2**:91-96

Purkinje repolarization
ECG correlation of bundle branch block and the U wave, **3**:215-220

Q

QRS
axis
a nomogram for the mean QRS axis in the frontal plane, **1**:51-52
bifascicular block induced by hyperkalemia, **1**:71-75
loops
electrical diagnosis of myocardial infarction in the paced dog heart, **1**:27-30
ECG and VCG in the diagnosis of the old inferior myocardial infarction, **4**:319-323
phase progression of the QRS complexes in ECG versus the inscribing directions of the QRS loops in VCG, **2**:125-129
polarcardiographic responses to maximal exercise and to changes in posture in healthy middle-aged men, **2**:91-96
varying ECG patterns in case of complete transposition of the Great Vessels, **1**:77-80
vector
ECG in the corrected transposition of the Great Arteries with and without associated cardiac anomalies, **1**:3-10
voltage
highest value for QRS voltage in left ventricular hypertrophy, **3**:259-262

QT interval
polarcardiographic responses to maximal exercise and to changes in posture in healthy middle-aged men, **2**:91-96

Quantification of ECG
waveform vector analysis of orthogonal ECG: quantification and data reduction, **2**:103-111

Quinidine
spontaneous ventricular parasystole initiating ventricular tachycardia, **1**:63-70

R

Radiopaque material, effects of
recording of His and left bundle potentials during left coronary arteriography in dog, **1**:45-49

Rhythms
spontaneous ventricular parasystole initiating ventricular tachycardia, **1**:63-70

R-R interval
cardiac output and the varying R-R interval of atrial fibrillation, **2**:131-135

S

Septal defect
varying ECG patterns in case of complete transposition of the Great Vessels, **1**:77-80

Serum potassium
bifascicular block induced by hyperkalemia, **1**:71-75

Sino-atrial disease
a report on 13 cases, **4**:303-312

Sleep, effects of
ECG patterns during sleep in healthy subjects and in patients with ischemic heart disease, **3**:225-230

Spatial velocity ECG
See SVECG

Standardization impulse
inexpensive test apparatus for the determination of the accuracy of the ECG millivolt standard, **4**:341-343

Subthreshold
Wedensky facilitation in canine right bundle branch, **4**:285-290

Supernormal phase of AV conduction
periodic variation in AV conduction time, **1**:81-84

Surgery
rate of regression of ventricular hypertrophy in VCG and ECG after surgery on congenital heart disease, **3**:243-247

SVEC-III
clinical application of the simplified SVEC-III system, **1**:11-18

SVECG
depolarization phase of the spatial velocity ECG in normal and ventricular overloading, **1**:19-26

Synchronization, atrioventricular
an analysis of atrioventricular synchronization in complete AV block, **1**:53-61

T

Tachycardia
coexisting paroxysmal ventricular tachycardia and idioventricular rhythm in acute myocardial infarction, **2**:149-152
reciprocating tachycardia of atrial origin initiated by concealed AV conduction of ventricular escape beats, **3**:253-256
spontaneous ventricular parasystole initiating ventricular tachycardia, **1**:63-70
termination of supraventricular tachycardia by right ventricular endocardial pacing but not by left ventricular epicardial pacing, **4**:345-351.
three atrioventricular pathways: reciprocating tachycardia with alternation of conduction times, **2**:159-163

Technique
clinical application of the simplified SVEC-III system, **1**:11-18
correlation of single lead telemetric treadmill exercise testing with coronary angiography, **3**:231-234
estimation of lung function from ECG in chronic obstructive pulmonary disease, **3**:235-242
recording of His bundle electrogram from the arm, **3**:193-195
repeat variability of axial lead ECG, **4**:335-340
RS limit template for rapid assessment of hypertrophy (letter), **3**:271-272
transthoracic impedance to defibrillator discharge, **4**:313-317

Template
some parameters associated with normal atrial ECG, **4**:325-333
RS limit template for rapid assessment of hypertrophy (letter), **3**:271-272

Terminology
rate of regression of ventricular hypertrophy in VCG and ECG after surgery on congenital heart disease (letter), **4**:380

Theoretical studies
mechanical model for the coupled rotations of human hearts (letter), **2**:177
optimization of frontal-plane ECG lead data in the 30° hexaxial system, **1**:31-44
phase progression of the QRS complexes in ECG versus the inscribing directions of the QRS loops in VCG, **2**:125-129

Transposition of Great Arteries
ECG in corrected transposition of the Great Arteries with and without associated cardiac anomalies, **1**:3-10
varying ECG patterns in a case of complete transposition of the Great Vessels, **1**:77-80

Transthoracic impedance
to defibrillator discharge, **4**:313-317

V

Vectorcardiogram (VCG)
clinical application of the simplified SVEC-III system, **1**:11-18
ECG and VCG in the diagnosis of the old inferior myocardial infarction, **4**:319-323
ECG in corrected transposition of the Great Arteries with and without associated cardiac anomalies, **1**:3-10
pitfalls in the prediction of coronary artery disease from the ECG and VCG, **4**:291-302
standardization in, **4**:273-278
waveform vector analysis of orthogonal ECG: quantification and data reduction, **2**:103-111

Vectors
clinical application of the simplified SVEC-III system, **1**:11-18
optimal synthesis of the sixth frontal-plane lead from data of the other five leads, **3**:221-224
optimization of frontal-plane ECG lead data in the 30° hexaxial system, **1**:31-44
polarcardiographic responses to maximal exercise and to changes in posture in healthy middle-aged men, **2**:91-96
spatial
influence of age and ischemic heart disease on spatial ST-T magnitudes at rest and after maximal exercise, **4**:279-284
rate of regression of ventricular hypertrophy in VCG and ECG after surgery on congenital heart disease (letter), **4**:380

Ventricular overloading
depolarization phase of the spatial velocity ECG in normal and ventricular overloading, **1**:19-26
ECG in corrected transposition of the Great Arteries with and without associated cardiac anomalies, **1**:3-10

W

Waveform analysis
automatic ECG and arrhythmia interpreter—an almost analog device, **2**:137-148

Waveform vector analysis
of orthogonal ECG: quantification and data reduction, **2**:103-111; **4**:379-380

Waves
P-
an analysis of atrioventricular synchronization in complete AV block, **1**:53-61
case of atrial dissociation, **1**:85-90
varying ECG patterns in a case of complete transposition of the Great Vessels, **1**:77-80
R-
RS limit template for rapid assessment of hypertrophy (letter), **3**:271-272
S-
RS limit template for rapid assessment of hypertrophy (letter), **3**:271-272
U-
ECG correlation of bundle branch block and the U wave, **3**:215-220

Wenckebach conduction
observations on atrio-sinus conduction, **2**:113-124

Wolff-Parkinson-White Syndrome
atrial flutter, supraventricular tachycardia, junctional rhythm and complete right bundle branch block in patient with, **4**:353-357
three atrioventricular pathways: reciprocating tachycardia with alternation of conduction times, **2**:159-163